耳よりウンチク学

● 銅管サイズ対応表/水道管外径一覧表

■銅管サイズ対応表

■銅官サイ人対心表									
呼径 吋(インチ)	ミリサイズ mm	冷凍 JIS	給湯建材 ASTM	フレアネジ FL					
2分	6.35	1/4	1/8	UNF ⅓6×20					
3分	9.52	3/8	1/4	UNF %×18					
4分	12.70	1/2	3/8	UNF 34×16					
5分	15.88	5/8	1/2	UNF %×14					
6分	19.05	3/4	(5/8)	UNF 11/8×14					
7分	22.22	7/8	3/4	_					
1 吋	25.40	1		_					
1吋1分	28.58	11/8	1	_					
1吋2分	31.75	11⁄4							
1吋3分	34.93	13/8	11⁄4						
1吋4分	38.10	1½							
1吋5分	41.28	1%	1½						
1吋6分	44.45	1¾							
2 吋	50.80	2	_	_					
2吋1分	53.98	21/8	2						
2吋2分	57.15	21/4	_	_					
2吋3分	60.33	23/8							
2吋4分	63.50	21/2	_	_					
2吋5分	66.68	25/8	2½	_					
2吋6分	69.85	2¾	_	_					
2吋7分	73.03	27/8	_	_					
3 吋	76.20	3	_	_					
3吋1分	79.38	31/8	3	_					
4 吋	101.60	4	4	_					

■水道管外径一覧表

径称	呼径	鋼管	塩化ビニール管		耐火2層管	建築用銅管	
(A)	吋(インチ)	SGP	VP	VU	SU	TN	ASTM
6	1/8	10.5	_			_	_
8	1/4	13.8	_		_	_	9.52
10 (13)	3/8	17.3	18		_		12.70
15 (16)	1/2	21.7	22		_	_	15.88
20	3/4	27.2	26				22.22
25	1	34.0	32		_	_	28.58
32	11⁄4	42.7	38		_		34.92
40	1½	48.6	48	48		63	41.28
50	2	60.5	60	60	54	75~ 76	53.98
65	21/2	76.3	76	76	68	91~ 92	66.68
80	3	89.1	89	89	80	104~105	79.38
90	31/2	101.6				_	_
100	4	114.3	114	114	106	131~132	104.78
125	5	139.8	140	140	134	158~159	130.18
150	6	165.2	165	165	165	185~187	155.58
200	8	216.3	216	216	_	_	206.38